è										
•		Ty pe		1	l Search Teyr	DBs	Time Stamp	Co mm en	ini	Er ro
	1	IS &R	L2	95 1	(342/450,458).CCLS.	US-PGPUB; USPAT; EPO; JPO	11/16			
	2	IS &R	L1	69 63	(455/3.06,66.1,404.2,42 2.1,456.1,456.6,115.3,2 26.2,518,517).CCLS.	USPAT;	11/16			
	3	IS &R	L3	21 43	(370/338).CCLS.	US-PGPUB; USPAT; EPO; JPO	11/16			
	4 1	BR S	L4	98 96	1 or 2 or 3	US-PGPUB; USPAT; EPO; JPO	11/16			
	5	BR S	L5	13 8	4 and (ad-hoc or ad adj hoc or bluetooth or wireless adj lan or wlan or "802.11") and location and location with (signal adj strength or rssi)	US-PGPUB; USPAT; EPO; JPO	,		,	
	5 1	BR S	L6	42 2	wian or "802.11") and location	US-PGPUB; USPAT; EPO; JPO	11/16			•

÷	Ty pe	1	Hi ts	I SABTON HAVE	DBs	Time Stamp	mm en	met	ro
7	BR S	L7	30 4	nosition or	US-PGPUB; USPAT; EPO; JPO	11/16			
8	BR S	L8	14 4	(position or location)	US-PGPUB; USPAT; EPO; JPO	11/16			
9	BR S	L9	31 5	niconet) and (location	US-PGPUB; USPAT; EPO; JPO	11/16			
10	1 1		15	9 and relative with (position)	US-PGPUB; USPAT; EPO; JPO	11/16			
11	BR S	L1 1	9	10 not 8 .	US-PGPUB; USPAT; EPO; JPO	11/16			

	_		Hi ts	l Search Text	DBs	Time Stamp	mm en	Err or Def ini tio	Er ro
12	BR S	L1 2	80		US-PGPUB; USPAT; EPO; JPO	11/16			
13	BR S	L1 3	39	(position or location)	US-PGPUB; USPAT; EPO; JPO	11/16			
14	BR S	L1 4	0	relative with (position or location) and	US-PGPUB; USPAT; EPO; JPO	11/16			
15	BR S	L1 5	0	or location)	US-PGPUB; USPAT; EPO; JPO	11/16	,		
II D	BR S		97 6	range or distance) ab	US-PGPUB; USPAT; EPO; JPO	11/16			

	_	1	Hi ts	l Search Tert	DBs	Time Stamp	mm en	Det ini	Er ro
17	BR S	L1 7	53	and (sidhal adi	US-PGPUB; USPAT; EPO; JPO	11/16			
18	BR S	L1 8	21	(layout or topology) or	US-PGPUB; USPAT; USOCR	2005/ 11/16 08:29		-	